

Reserve Study Level III

Prepared for Nautica Soundview

2025 Fiscal Year



Prepared by CEDCORE, LLC

Version 3

© 2024 CEDCORE, LLC

Contents

1. Executive Summary
 - 1.1 Table 1 - Component List
2. Financial Analysis
 - 2.1 Figure 1 - Reserve Fund Ending Balance vs Fully Funded Balance
 - 2.2 Figure 2 - Reserve Fund Ending Balance vs Reserve Expenses
 - 2.3 Figure 3 - Percent Funded Comparison
 - 2.4 Figure 4 - Reserve Contribution Comparison
 - 2.5 Funding Plan 30 Year Reserve Fund Projections
 - 2.5.1 - Current Funding Plan
 - 2.5.2 - Baseline Funding Plan
 - 2.5.3 - Full Funding Plan
 - 2.6 Funding Plan Cash Flow Projections
3. Physical Analysis
 - 3.1 Table 2 - Component Funding Basis
 - 3.2 Table 3 - Component Metrics
 - 3.3 Component Details
4. How to Read Your Reserve Study
 - 4.1 About Reserve Studies
 - 4.2 Reserve Study Levels
 - 4.3 Percent Funded
 - 4.4 Reserve Funding Plans & Goals
 - 4.5 Reserve Contributions
 - 4.6 Reserve Components
 - 4.7 Implementing Your Reserve Study
5. Supplemental Report Information
 - 5.1 Definitions
 - 5.2 Table 4 - RCW Required Information & Location
 - 5.3 Reserve Study Disclosure

1. Executive Summary

Report Details			
Association Name:	Nautica Soundview		
Location:	Everett, WA	Number of Units:	128
Physical Description	Mid-Rise	Site Visit Date:	N/A
Level of Service:	Level III		
Report Period:	FY 2025	Projection Period:	2025 - 2054
Reserve Account Snap Shot January 1, 2025			
Projected Reserve Balance:			\$213,834
Fully Funded Reserve Balance:			\$1,120,667
Percent Funded:			19 %
Reserve Surplus or (-) Deficit Per Unit:			(\$7,085)
Current Monthly Reserve Fund Contribution:			\$10,431
Interest Rate			1.00 %
Inflation Rate			3.00 %
2025 Reserve Contribution Requirements (based on the above position)			
Full Funding	Monthly Reserve Contribution:		\$15,376
	Monthly Reserve Contribution Per Unit (Average):		\$120
	Special Assessment Required for this Plan:		\$0
Baseline Funding	Monthly Reserve Contribution:		\$11,085
	Monthly Reserve Contribution Per Unit (Average):		\$87
	Special Assessment Required for this Plan:		\$0

Based upon the budget and maintenance practices of the association we have used a funding threshold of \$1,000. Expenses below \$1,000 are not funded within this report and best treated as a maintenance expense. We have included comments within the Component Analysis Section of this report.

The projected reserve fund balance is estimated based on the current reserve fund balance adding any remaining budgeted contributions and subtracting any planned projects to be completed prior to the end of the fiscal year.

The Association will need to increase contributions by \$38.64 average per Unit per month to get onto the path to becoming Fully Funded.

1.1 Table 1 - Component List

Component	Quantity	Current Cost	UL	RUL
Appliances: Replace	1 Allowance	\$3,530	20	1
Awnings, Metal: Clean & Paint	1 Allowance	\$22,000	12	0
Bathroom: Refurbish	1 Allowance	\$5,500	20	1
Brick Facade: Clean, Repair & Seal, Bldg A	1 Allowance	\$44,000	10	2
Brick Facade: Clean, Repair & Seal, Bldg B	1 Allowance	\$44,000	10	2
Building Entry Doors: Replace	3 Each	\$7,280	25	12
Concrete Wall, Alley: Repaint	1 Allowance	\$14,200	10	9
Courtyards: Resurface	Unfunded, no predictable expectation of expense			
Deck Railings, Metal: Repaint	55 Units	\$78,700	31	0
Deck, Wood: Replace	2,200 Square Feet	\$216,000	20	18
Deck: Elastomeric, Reseal	3,400 Square Feet	\$61,900	10	1
Electrical	Unfunded due to unpredictable nature of component			
Elevator Cab: Refurbish	2 Allowance	\$33,000	30	7
Elevator: Modernization	2 Unit	\$187,000	30	7
Emergency & Exit Lighting: Replace, Phase 1	14 Each	\$3,850	20	17
Emergency & Exit Lighting: Replace, Phase 2	214 Each	\$58,900	20	5
Entry System: Replace	2 Unit	\$12,100	15	7
Fire Alarm Panel: Replacement	1 Each	\$3,530	20	1
Fire Suppression System: Compressor Replacement	1 Allowance	\$1,270	19	0
Fire Suppression System: Control Panel Replacement	1 Allowance	\$3,860	24	0
Fire Suppression System: Refurbish	Unfunded, outside the 30 year scope of report			
Fire Suppression System: Wet/Dry System Repair	1 Allowance	\$8,622	9	0
Fitness Equipment: Replace	1 Allowance	\$7,280	13	0
Flooring, Lobby: Restain	2 Units	\$22,000		0
Flooring: Carpet, Replace	1,900 Square Yard	\$54,500	10	0
Garage Door Operator: Replace, East	1 Each	\$9,920	14	12
Garage Door Operators: Replace, Remainder	4 Each	\$39,700	14	7
Garage Door, East, Commercial: Replace	1 Each	\$9,090	23	5
Garage Doors, West, Commercial: Replace	4 Each	\$126,000	25	18
Garage Exhaust System: Repair	1 Allowance	\$5,500	7	2
Guardrail, Metal: Repaint	1,395 Linear Feet	\$12,300	8	2
Guardrail: Metal, Replace	1 Allowance	\$18,100	40	37
Gutters & Downspouts: Replacement	525 Linear Feet	\$5,780	25	21
Irrigation System: Repair/Replace	1 Allowance	\$3,750	12	0
Kitchen: Refurbish	1 Allowance	\$6,950	25	6
Landscaping: Refurbish	1 Allowance	\$11,000	6	0
Lights Interior, Hallways: Replace	173 Items	\$23,900	20	14
Lights Interior: Stairwells, Replace	54 Items	\$7,450	26	0
Lights, Garage, Interior: Replace	1 Allowance	\$24,300	25	2
Lights: Exterior, Replace	1 Allowance	\$3,140	20	16

Mailbox Cluster: Replace	7 Clusters	\$27,300	40	37
Plumbing System	1 Allowance	\$9,370	10	0
Roof: Low Slope, Replace, Building A	11,150 Square Feet	\$216,000	20	15
Roof: Low Slope, Replace, Building B	11,150 Square Feet	\$216,000	20	15
Roof: Replace, North Bldg B	1 Allowance	\$1,430	20	16
Roof: Replace, West Bldg A	1 Allowance	\$915	10	6
Siding & Trim: Repair/Replace	1,600 Square Feet	\$32,600	8	12
Siding: Repaint	54,000 Square Feet	\$149,000	8	4
Signs: Replace	Unfunded, operating expense			
Sliding Glass Doors: Replace	35 Each	\$102,000	50	46
Smoke Detectors	70 Each	\$8,540	20	5
Suite Entry Doors Hardware: Replace	Unfunded, outside the 30 year scope of report			
Surveillance System: Replace	1 Allowance	\$8,600	16	0
Utility Doors: Replace	Unfunded due to unpredictable nature of component			
Walls: Interior, Repainting	1 Allowance	\$159,000	12	2
Water Heater: Replace	1 Unit	\$2,430	10	1
Windows, Ground Floor: Replace	Unfunded, no predictable expectation of expense			
Windows: Replace	478 Each	\$607,000	50	46
Total Current Costs		\$2,740,087		
Total Funded Components		51		

Components without a UL are one-time expenses, not expecting to reoccur at this time. It is important to note that actual costs may vary significantly based on scope of work, actual conditions, hidden deterioration, vendor selection, etc. This component list is for budget planning purposes only.


2. Financial Analysis

We have created the financial projections and recommendations based on the component list in Table One and a projected reserve fund balance \$213,834. For your Association to be 100% funded there should be \$1,120,667 in your reserve account(s). Therefore, your Association is projected to be 19.00% funded.


We recommend the Full Funding, which requires a monthly reserve contribution of \$15,376 with a 3.00 % increase in contributions each year for the next 30 years.

Currently the Association has monthly reserve contributions of \$10,431 and are Not projected to be sufficient over the next 30 years. The Baseline monthly reserve contribution requires \$11,085, with a 3.00 % increase in contributions each year for the next 30 years. The baseline funding plan is the lowest contribution amount calculated to prevent the Reserve Fund from dropping below a zero balance.


2.1 Figure 1 - Reserve Fund Ending Balance vs Fully Funded Balance




2.2 Figure 2 - Reserve Fund Ending Balance vs Reserve Expenses



2.3 Figure 3 - Percent Funded Comparison



2.4 Figure 4 – Reserve Contribution Comparison



2.5.1 - 30 Year Reserve Fund Projection (Current Funding)

Current Funding Plan									
Year	Start Balance	Annual Reserve Contribution	Special Assessments	Additional Assessments Necessary Per Unit /Per Year	Interest Income	Reserve Expenses	Ending Balance	Fully Funded Balance	Ending Percent Funded
2025	\$213,834	\$125,166	\$0		\$380	\$238,402	\$100,978	\$1,120,667	9.01 %
2026	\$100,978	\$128,921	\$0		\$862	\$79,197	\$151,564	\$1,051,532	14.41 %
2027	\$151,564	\$132,789	\$0	\$175	\$0	\$306,707	\$0	\$1,148,589	-1.95 %
2028	\$0	\$136,772	\$0		\$684	\$0	\$137,456	\$1,018,635	13.49 %
2029	\$137,456	\$140,875	\$0		\$402	\$167,701	\$111,032	\$1,205,235	9.21 %
2030	\$111,032	\$145,102	\$0		\$949	\$88,719	\$168,364	\$1,234,106	13.64 %
2031	\$168,364	\$149,455	\$0		\$2,206	\$22,527	\$297,498	\$1,350,158	22.03 %
2032	\$297,498	\$153,938	\$0		\$402	\$334,279	\$117,559	\$1,542,983	7.62 %
2033	\$117,559	\$158,557	\$0		\$1,968	\$0	\$278,084	\$1,425,751	19.50 %
2034	\$278,084	\$163,313	\$0		\$3,228	\$36,954	\$407,671	\$1,654,735	24.64 %
2035	\$407,671	\$168,213	\$0		\$3,894	\$102,365	\$477,413	\$1,858,112	25.69 %
2036	\$477,413	\$173,259	\$0		\$4,750	\$89,048	\$566,374	\$2,005,969	28.23 %
2037	\$566,374	\$178,457	\$0		\$1,943	\$461,305	\$285,469	\$2,177,907	13.11 %
2038	\$285,469	\$183,810	\$0		\$3,667	\$10,691	\$462,255	\$1,977,682	23.37 %
2039	\$462,255	\$189,325	\$0		\$2,803	\$276,653	\$377,730	\$2,241,870	16.85 %
2040	\$377,730	\$195,005	\$0	\$784	\$0	\$673,042	\$0	\$2,246,520	-4.46 %
2041	\$0	\$200,855	\$0		\$690	\$31,428	\$170,117	\$1,849,698	9.20 %
2042	\$170,117	\$206,880	\$0		\$2,672	\$6,363	\$373,306	\$2,108,705	17.70 %
2043	\$373,306	\$213,087	\$0	\$392	\$0	\$636,578	\$0	\$2,408,375	-2.08 %
2044	\$0	\$219,479	\$0		\$826	\$27,127	\$193,178	\$2,075,203	9.31 %
2045	\$193,178	\$226,064	\$0	\$188	\$0	\$443,346	\$0	\$2,367,278	-1.02 %
2046	\$0	\$232,846	\$0		\$0	\$227,646	\$5,200	\$2,247,143	0.23 %
2047	\$5,200	\$239,831	\$0		\$0	\$191,803	\$53,228	\$2,353,540	2.26 %
2048	\$53,228	\$247,026	\$0		\$1,659	\$10,855	\$291,058	\$2,508,251	11.60 %
2049	\$291,058	\$254,437	\$0		\$3,357	\$82,552	\$466,300	\$2,862,429	16.29 %
2050	\$466,300	\$262,070	\$0		\$4,561	\$141,205	\$591,726	\$3,162,088	18.71 %
2051	\$591,726	\$269,932	\$0		\$3,021	\$424,557	\$440,122	\$3,419,288	12.87 %
2052	\$440,122	\$278,030	\$0		\$5,060	\$73,129	\$650,083	\$3,401,585	19.11 %
2053	\$650,083	\$286,371	\$0		\$3,570	\$436,284	\$503,740	\$3,754,831	13.42 %
2054	\$503,740	\$294,962	\$0		\$6,178	\$33,463	\$771,417	\$3,754,420	20.55 %

2.5.2 - 30 Year Reserve Fund Projection (Baseline Funding)

Baseline Funding Plan								
Year	Start Balance	Annual Reserve Contribution	Special Assessments	Interest Income	Reserve Expenses	Ending Balance	Fully Funded Balance	Ending Percent Funded
2025	\$213,834	\$133,020	\$0	\$419	\$238,402	\$108,871	\$1,120,667	9.71 %
2026	\$108,871	\$137,011	\$0	\$982	\$79,197	\$167,667	\$1,051,532	15.95 %
2027	\$167,667	\$141,121	\$0	\$0	\$306,707	\$2,081	\$1,148,589	0.18 %
2028	\$2,081	\$145,355	\$0	\$748	\$0	\$148,184	\$1,018,635	14.55 %
2029	\$148,184	\$149,715	\$0	\$553	\$167,701	\$130,751	\$1,205,235	10.85 %
2030	\$130,751	\$154,207	\$0	\$1,191	\$88,719	\$197,430	\$1,234,106	16.00 %
2031	\$197,430	\$158,833	\$0	\$2,543	\$22,527	\$336,279	\$1,350,158	24.91 %
2032	\$336,279	\$163,598	\$0	\$838	\$334,279	\$166,436	\$1,542,983	10.79 %
2033	\$166,436	\$168,506	\$0	\$2,507	\$0	\$337,449	\$1,425,751	23.67 %
2034	\$337,449	\$173,561	\$0	\$3,873	\$36,954	\$477,929	\$1,654,735	28.88 %
2035	\$477,929	\$178,768	\$0	\$4,649	\$102,365	\$558,981	\$1,858,112	30.08 %
2036	\$558,981	\$184,131	\$0	\$5,620	\$89,048	\$659,684	\$2,005,969	32.89 %
2037	\$659,684	\$189,655	\$0	\$2,932	\$461,305	\$390,966	\$2,177,907	17.95 %
2038	\$390,966	\$195,344	\$0	\$4,779	\$10,691	\$580,398	\$1,977,682	29.35 %
2039	\$580,398	\$201,205	\$0	\$4,043	\$276,653	\$508,993	\$2,241,870	22.70 %
2040	\$508,993	\$207,241	\$0	\$0	\$673,042	\$43,192	\$2,246,520	1.92 %
2041	\$43,192	\$213,458	\$0	\$1,185	\$31,428	\$226,407	\$1,849,698	12.24 %
2042	\$226,407	\$219,862	\$0	\$3,300	\$6,363	\$443,206	\$2,108,705	21.02 %
2043	\$443,206	\$226,458	\$0	\$0	\$636,578	\$33,086	\$2,408,375	1.37 %
2044	\$33,086	\$233,251	\$0	\$1,226	\$27,127	\$240,436	\$2,075,203	11.59 %
2045	\$240,436	\$240,249	\$0	\$0	\$443,346	\$37,339	\$2,367,278	1.58 %
2046	\$37,339	\$247,456	\$0	\$0	\$227,646	\$57,149	\$2,247,143	2.54 %
2047	\$57,149	\$254,880	\$0	\$0	\$191,803	\$120,226	\$2,353,540	5.11 %
2048	\$120,226	\$262,526	\$0	\$2,406	\$10,855	\$374,303	\$2,508,251	14.92 %
2049	\$374,303	\$270,402	\$0	\$4,270	\$82,552	\$566,423	\$2,862,429	19.79 %
2050	\$566,423	\$278,514	\$0	\$5,645	\$141,205	\$709,377	\$3,162,088	22.43 %
2051	\$709,377	\$286,870	\$0	\$4,283	\$424,557	\$575,973	\$3,419,288	16.84 %
2052	\$575,973	\$295,476	\$0	\$6,506	\$73,129	\$804,826	\$3,401,585	23.66 %
2053	\$804,826	\$304,340	\$0	\$5,207	\$436,284	\$678,089	\$3,754,831	18.06 %
2054	\$678,089	\$313,470	\$0	\$8,014	\$33,463	\$966,110	\$3,754,420	25.73 %

2.5.3 - 30 Year Reserve Fund Projection (Full Funding)

Full Funding Plan								
Year	Start Balance	Annual Reserve Contribution	Special Assessments	Interest Income	Reserve Expenses	Ending Balance	Fully Funded Balance	Ending Percent Funded
2025	\$213,834	\$184,512	\$0	\$677	\$238,402	\$160,621	\$1,120,667	14.33 %
2026	\$160,621	\$190,047	\$0	\$1,764	\$79,197	\$273,235	\$1,051,532	25.98 %
2027	\$273,235	\$195,749	\$0	\$644	\$306,707	\$162,921	\$1,148,589	14.18 %
2028	\$162,921	\$201,621	\$0	\$2,637	\$0	\$367,179	\$1,018,635	36.05 %
2029	\$367,179	\$207,670	\$0	\$3,033	\$167,701	\$410,181	\$1,205,235	34.03 %
2030	\$410,181	\$213,900	\$0	\$4,284	\$88,719	\$539,646	\$1,234,106	43.73 %
2031	\$539,646	\$220,317	\$0	\$6,273	\$22,527	\$743,709	\$1,350,158	55.08 %
2032	\$743,709	\$226,926	\$0	\$5,229	\$334,279	\$641,585	\$1,542,983	41.58 %
2033	\$641,585	\$233,734	\$0	\$7,585	\$0	\$882,904	\$1,425,751	61.93 %
2034	\$882,904	\$240,746	\$0	\$9,663	\$36,954	\$1,096,359	\$1,654,735	66.26 %
2035	\$1,096,359	\$247,969	\$0	\$11,180	\$102,365	\$1,253,143	\$1,858,112	67.44 %
2036	\$1,253,143	\$255,408	\$0	\$12,918	\$89,048	\$1,432,421	\$2,005,969	71.41 %
2037	\$1,432,421	\$263,070	\$0	\$11,027	\$461,305	\$1,245,213	\$2,177,907	57.17 %
2038	\$1,245,213	\$270,962	\$0	\$13,700	\$10,691	\$1,519,184	\$1,977,682	76.82 %
2039	\$1,519,184	\$279,091	\$0	\$13,821	\$276,653	\$1,535,443	\$2,241,870	68.49 %
2040	\$1,535,443	\$287,464	\$0	\$10,061	\$673,042	\$1,159,926	\$2,246,520	51.63 %
2041	\$1,159,926	\$296,088	\$0	\$12,765	\$31,428	\$1,437,351	\$1,849,698	77.71 %
2042	\$1,437,351	\$304,970	\$0	\$15,835	\$6,363	\$1,751,793	\$2,108,705	83.07 %
2043	\$1,751,793	\$314,119	\$0	\$12,723	\$636,578	\$1,442,057	\$2,408,375	59.88 %
2044	\$1,442,057	\$323,543	\$0	\$15,767	\$27,127	\$1,754,240	\$2,075,203	84.53 %
2045	\$1,754,240	\$333,249	\$0	\$14,775	\$443,346	\$1,658,918	\$2,367,278	70.08 %
2046	\$1,658,918	\$343,247	\$0	\$16,029	\$227,646	\$1,790,548	\$2,247,143	79.68 %
2047	\$1,790,548	\$353,544	\$0	\$17,755	\$191,803	\$1,970,044	\$2,353,540	83.71 %
2048	\$1,970,044	\$364,150	\$0	\$21,413	\$10,855	\$2,344,752	\$2,508,251	93.48 %
2049	\$2,344,752	\$375,075	\$0	\$24,497	\$82,552	\$2,661,772	\$2,862,429	92.99 %
2050	\$2,661,772	\$386,327	\$0	\$27,137	\$141,205	\$2,934,031	\$3,162,088	92.79 %
2051	\$2,934,031	\$397,917	\$0	\$27,084	\$424,557	\$2,934,475	\$3,419,288	85.82 %
2052	\$2,934,475	\$409,854	\$0	\$30,663	\$73,129	\$3,301,863	\$3,401,585	97.07 %
2053	\$3,301,863	\$422,150	\$0	\$30,767	\$436,284	\$3,318,496	\$3,754,831	88.38 %
2054	\$3,318,496	\$434,815	\$0	\$35,024	\$33,463	\$3,754,872	\$3,754,420	100.01 %

2.6 Funding Plan Cash Flow Projections

Full Funding Plan					
Year	2025	2026	2027	2028	2029
Percent Funded	14.33 %	25.98 %	14.18 %	36.05 %	34.03 %
Fully Funded Balance	\$1,120,667	\$1,051,532	\$1,148,589	\$1,018,635	\$1,205,235
Beginning Balance	\$213,834	\$160,621	\$273,235	\$162,921	\$367,179
Annual Contributions	\$184,512	\$190,047	\$195,749	\$201,621	\$207,670
Interest Earnings	\$677	\$1,764	\$644	\$2,637	\$3,033
Special Assessment	\$0	\$0	\$0	\$0	\$0
Reserve Expenses	\$238,402	\$79,197	\$306,707	\$0	\$167,701
Ending Balance	\$160,621	\$273,235	\$162,921	\$367,179	\$410,181

Expenses by Component & Year					
Components	2025	2026	2027	2028	2029
Appliances: Replace	\$0	\$3,636	\$0	\$0	\$0
Awnings, Metal: Clean & Paint	\$22,000	\$0	\$0	\$0	\$0
Bathroom: Refurbish	\$0	\$5,665	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg A	\$0	\$0	\$46,680	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg B	\$0	\$0	\$46,680	\$0	\$0
Building Entry Doors: Replace	\$0	\$0	\$0	\$0	\$0
Concrete Wall, Alley: Repaint	\$0	\$0	\$0	\$0	\$0
Deck Railings, Metal: Repaint	\$78,700	\$0	\$0	\$0	\$0
Deck, Wood: Replace	\$0	\$0	\$0	\$0	\$0
Deck: Elastomeric, Reseal	\$0	\$63,757	\$0	\$0	\$0
Elevator Cab: Refurbish	\$0	\$0	\$0	\$0	\$0
Elevator: Modernization	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 1	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 2	\$0	\$0	\$0	\$0	\$0
Entry System: Replace	\$0	\$0	\$0	\$0	\$0
Fire Alarm Panel: Replacement	\$0	\$3,636	\$0	\$0	\$0
Fire Suppression System: Compressor Replacement	\$1,270	\$0	\$0	\$0	\$0
Fire Suppression System: Control Panel Replacement	\$3,860	\$0	\$0	\$0	\$0
Fire Suppression System: Wet/Dry System Repair	\$8,622	\$0	\$0	\$0	\$0
Fitness Equipment: Replace	\$7,280	\$0	\$0	\$0	\$0
Flooring, Lobby: Restain	\$22,000	\$0	\$0	\$0	\$0
Flooring: Carpet, Replace	\$54,500	\$0	\$0	\$0	\$0
Garage Door Operator: Replace, East	\$0	\$0	\$0	\$0	\$0
Garage Door Operators: Replace, Remainder	\$0	\$0	\$0	\$0	\$0
Garage Door, East, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Doors, West, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Exhaust System: Repair	\$0	\$0	\$5,835	\$0	\$0
Guardrail, Metal: Repaint	\$0	\$0	\$13,049	\$0	\$0

Guardrail: Metal, Replace	\$0	\$0	\$0	\$0	\$0
Gutters & Downspouts: Replacement	\$0	\$0	\$0	\$0	\$0
Irrigation System: Repair/Replace	\$3,750	\$0	\$0	\$0	\$0
Kitchen: Refurbish	\$0	\$0	\$0	\$0	\$0
Landscaping: Refurbish	\$11,000	\$0	\$0	\$0	\$0
Lights Interior, Hallways: Replace	\$0	\$0	\$0	\$0	\$0
Lights Interior: Stairwells, Replace	\$7,450	\$0	\$0	\$0	\$0
Lights, Garage, Interior: Replace	\$0	\$0	\$25,780	\$0	\$0
Lights: Exterior, Replace	\$0	\$0	\$0	\$0	\$0
Mailbox Cluster: Replace	\$0	\$0	\$0	\$0	\$0
Plumbing System	\$9,370	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building A	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, North Bldg B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, West Bldg A	\$0	\$0	\$0	\$0	\$0
Siding & Trim: Repair/Replace	\$0	\$0	\$0	\$0	\$0
Siding: Repaint	\$0	\$0	\$0	\$0	\$167,701
Sliding Glass Doors: Replace	\$0	\$0	\$0	\$0	\$0
Smoke Detectors	\$0	\$0	\$0	\$0	\$0
Surveillance System: Replace	\$8,600	\$0	\$0	\$0	\$0
Walls: Interior, Repainting	\$0	\$0	\$168,683	\$0	\$0
Water Heater: Replace	\$0	\$2,503	\$0	\$0	\$0
Windows: Replace	\$0	\$0	\$0	\$0	\$0

Full Funding Plan					
Year	2030	2031	2032	2033	2034
Percent Funded	43.73 %	55.08 %	41.58 %	61.93 %	66.26 %
Fully Funded Balance	\$1,234,106	\$1,350,158	\$1,542,983	\$1,425,751	\$1,654,735
Beginning Balance	\$410,181	\$539,646	\$743,709	\$641,585	\$882,904
Annual Contributions	\$213,900	\$220,317	\$226,926	\$233,734	\$240,746
Interest Earnings	\$4,284	\$6,273	\$5,229	\$7,585	\$9,663
Special Assessment	\$0	\$0	\$0	\$0	\$0
Reserve Expenses	\$88,719	\$22,527	\$334,279	\$0	\$36,954
Ending Balance	\$539,646	\$743,709	\$641,585	\$882,904	\$1,096,359

Expenses by Component & Year					
Components	2030	2031	2032	2033	2034
Appliances: Replace	\$0	\$0	\$0	\$0	\$0
Awnings, Metal: Clean & Paint	\$0	\$0	\$0	\$0	\$0
Bathroom: Refurbish	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg A	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg B	\$0	\$0	\$0	\$0	\$0
Building Entry Doors: Replace	\$0	\$0	\$0	\$0	\$0
Concrete Wall, Alley: Repaint	\$0	\$0	\$0	\$0	\$18,528
Deck Railings, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Deck, Wood: Replace	\$0	\$0	\$0	\$0	\$0
Deck: Elastomeric, Reseal	\$0	\$0	\$0	\$0	\$0
Elevator Cab: Refurbish	\$0	\$0	\$40,586	\$0	\$0
Elevator: Modernization	\$0	\$0	\$229,986	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 1	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 2	\$68,281	\$0	\$0	\$0	\$0
Entry System: Replace	\$0	\$0	\$14,881	\$0	\$0
Fire Alarm Panel: Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Compressor Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Control Panel Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Wet/Dry System Repair	\$0	\$0	\$0	\$0	\$11,250
Fitness Equipment: Replace	\$0	\$0	\$0	\$0	\$0
Flooring, Lobby: Restain	\$0	\$0	\$0	\$0	\$0
Flooring: Carpet, Replace	\$0	\$0	\$0	\$0	\$0
Garage Door Operator: Replace, East	\$0	\$0	\$0	\$0	\$0
Garage Door Operators: Replace, Remainder	\$0	\$0	\$48,826	\$0	\$0
Garage Door, East, Commercial: Replace	\$10,538	\$0	\$0	\$0	\$0
Garage Doors, West, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Exhaust System: Repair	\$0	\$0	\$0	\$0	\$7,176
Guardrail, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Guardrail: Metal, Replace	\$0	\$0	\$0	\$0	\$0
Gutters & Downspouts: Replacement	\$0	\$0	\$0	\$0	\$0

Irrigation System: Repair/Replace	\$0	\$0	\$0	\$0	\$0
Kitchen: Refurbish	\$0	\$8,299	\$0	\$0	\$0
Landscaping: Refurbish	\$0	\$13,135	\$0	\$0	\$0
Lights Interior, Hallways: Replace	\$0	\$0	\$0	\$0	\$0
Lights Interior: Stairwells, Replace	\$0	\$0	\$0	\$0	\$0
Lights, Garage, Interior: Replace	\$0	\$0	\$0	\$0	\$0
Lights: Exterior, Replace	\$0	\$0	\$0	\$0	\$0
Mailbox Cluster: Replace	\$0	\$0	\$0	\$0	\$0
Plumbing System	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building A	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, North Bldg B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, West Bldg A	\$0	\$1,093	\$0	\$0	\$0
Siding & Trim: Repair/Replace	\$0	\$0	\$0	\$0	\$0
Siding: Repaint	\$0	\$0	\$0	\$0	\$0
Sliding Glass Doors: Replace	\$0	\$0	\$0	\$0	\$0
Smoke Detectors	\$9,900	\$0	\$0	\$0	\$0
Surveillance System: Replace	\$0	\$0	\$0	\$0	\$0
Walls: Interior, Repainting	\$0	\$0	\$0	\$0	\$0
Water Heater: Replace	\$0	\$0	\$0	\$0	\$0
Windows: Replace	\$0	\$0	\$0	\$0	\$0

Full Funding Plan					
Year	2035	2036	2037	2038	2039
Percent Funded	67.44 %	71.41 %	57.17 %	76.82 %	68.49 %
Fully Funded Balance	\$1,858,112	\$2,005,969	\$2,177,907	\$1,977,682	\$2,241,870
Beginning Balance	\$1,096,359	\$1,253,143	\$1,432,421	\$1,245,213	\$1,519,184
Annual Contributions	\$247,969	\$255,408	\$263,070	\$270,962	\$279,091
Interest Earnings	\$11,180	\$12,918	\$11,027	\$13,700	\$13,821
Special Assessment	\$0	\$0	\$0	\$0	\$0
Reserve Expenses	\$102,365	\$89,048	\$461,305	\$10,691	\$276,653
Ending Balance	\$1,253,143	\$1,432,421	\$1,245,213	\$1,519,184	\$1,535,443

Expenses by Component & Year					
Components	2035	2036	2037	2038	2039
Appliances: Replace	\$0	\$0	\$0	\$0	\$0
Awnings, Metal: Clean & Paint	\$0	\$0	\$31,367	\$0	\$0
Bathroom: Refurbish	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg A	\$0	\$0	\$62,733	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg B	\$0	\$0	\$62,733	\$0	\$0
Building Entry Doors: Replace	\$0	\$0	\$10,380	\$0	\$0
Concrete Wall, Alley: Repaint	\$0	\$0	\$0	\$0	\$0
Deck Railings, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Deck, Wood: Replace	\$0	\$0	\$0	\$0	\$0
Deck: Elastomeric, Reseal	\$0	\$85,684	\$0	\$0	\$0
Elevator Cab: Refurbish	\$0	\$0	\$0	\$0	\$0
Elevator: Modernization	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 1	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 2	\$0	\$0	\$0	\$0	\$0
Entry System: Replace	\$0	\$0	\$0	\$0	\$0
Fire Alarm Panel: Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Compressor Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Control Panel Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Wet/Dry System Repair	\$0	\$0	\$0	\$0	\$0
Fitness Equipment: Replace	\$0	\$0	\$0	\$10,691	\$0
Flooring, Lobby: Restain	\$0	\$0	\$0	\$0	\$0
Flooring: Carpet, Replace	\$73,243	\$0	\$0	\$0	\$0
Garage Door Operator: Replace, East	\$0	\$0	\$14,144	\$0	\$0
Garage Door Operators: Replace, Remainder	\$0	\$0	\$0	\$0	\$0
Garage Door, East, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Doors, West, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Exhaust System: Repair	\$0	\$0	\$0	\$0	\$0
Guardrail, Metal: Repaint	\$16,530	\$0	\$0	\$0	\$0
Guardrail: Metal, Replace	\$0	\$0	\$0	\$0	\$0
Gutters & Downspouts: Replacement	\$0	\$0	\$0	\$0	\$0

Irrigation System: Repair/Replace	\$0	\$0	\$5,347	\$0	\$0
Kitchen: Refurbish	\$0	\$0	\$0	\$0	\$0
Landscaping: Refurbish	\$0	\$0	\$15,683	\$0	\$0
Lights Interior, Hallways: Replace	\$0	\$0	\$0	\$0	\$36,151
Lights Interior: Stairwells, Replace	\$0	\$0	\$0	\$0	\$0
Lights, Garage, Interior: Replace	\$0	\$0	\$0	\$0	\$0
Lights: Exterior, Replace	\$0	\$0	\$0	\$0	\$0
Mailbox Cluster: Replace	\$0	\$0	\$0	\$0	\$0
Plumbing System	\$12,593	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building A	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, North Bldg B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, West Bldg A	\$0	\$0	\$0	\$0	\$0
Siding & Trim: Repair/Replace	\$0	\$0	\$46,480	\$0	\$0
Siding: Repaint	\$0	\$0	\$212,438	\$0	\$0
Sliding Glass Doors: Replace	\$0	\$0	\$0	\$0	\$0
Smoke Detectors	\$0	\$0	\$0	\$0	\$0
Surveillance System: Replace	\$0	\$0	\$0	\$0	\$0
Walls: Interior, Repainting	\$0	\$0	\$0	\$0	\$240,502
Water Heater: Replace	\$0	\$3,364	\$0	\$0	\$0
Windows: Replace	\$0	\$0	\$0	\$0	\$0

Full Funding Plan					
Year	2040	2041	2042	2043	2044
Percent Funded	51.63 %	77.71 %	83.07 %	59.88 %	84.53 %
Fully Funded Balance	\$2,246,520	\$1,849,698	\$2,108,705	\$2,408,375	\$2,075,203
Beginning Balance	\$1,535,443	\$1,159,926	\$1,437,351	\$1,751,793	\$1,442,057
Annual Contributions	\$287,464	\$296,088	\$304,970	\$314,119	\$323,543
Interest Earnings	\$10,061	\$12,765	\$15,835	\$12,723	\$15,767
Special Assessment	\$0	\$0	\$0	\$0	\$0
Reserve Expenses	\$673,042	\$31,428	\$6,363	\$636,578	\$27,127
Ending Balance	\$1,159,926	\$1,437,351	\$1,751,793	\$1,442,057	\$1,754,240

Expenses by Component & Year					
Components	2040	2041	2042	2043	2044
Appliances: Replace	\$0	\$0	\$0	\$0	\$0
Awnings, Metal: Clean & Paint	\$0	\$0	\$0	\$0	\$0
Bathroom: Refurbish	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg A	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg B	\$0	\$0	\$0	\$0	\$0
Building Entry Doors: Replace	\$0	\$0	\$0	\$0	\$0
Concrete Wall, Alley: Repaint	\$0	\$0	\$0	\$0	\$24,900
Deck Railings, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Deck, Wood: Replace	\$0	\$0	\$0	\$367,726	\$0
Deck: Elastomeric, Reseal	\$0	\$0	\$0	\$0	\$0
Elevator Cab: Refurbish	\$0	\$0	\$0	\$0	\$0
Elevator: Modernization	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 1	\$0	\$0	\$6,363	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 2	\$0	\$0	\$0	\$0	\$0
Entry System: Replace	\$0	\$0	\$0	\$0	\$0
Fire Alarm Panel: Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Compressor Replacement	\$0	\$0	\$0	\$0	\$2,227
Fire Suppression System: Control Panel Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Wet/Dry System Repair	\$0	\$0	\$0	\$14,678	\$0
Fitness Equipment: Replace	\$0	\$0	\$0	\$0	\$0
Flooring, Lobby: Restain	\$0	\$0	\$0	\$0	\$0
Flooring: Carpet, Replace	\$0	\$0	\$0	\$0	\$0
Garage Door Operator: Replace, East	\$0	\$0	\$0	\$0	\$0
Garage Door Operators: Replace, Remainder	\$0	\$0	\$0	\$0	\$0
Garage Door, East, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Doors, West, Commercial: Replace	\$0	\$0	\$0	\$214,507	\$0
Garage Exhaust System: Repair	\$0	\$8,826	\$0	\$0	\$0
Guardrail, Metal: Repaint	\$0	\$0	\$0	\$20,940	\$0
Guardrail: Metal, Replace	\$0	\$0	\$0	\$0	\$0
Gutters & Downspouts: Replacement	\$0	\$0	\$0	\$0	\$0

Irrigation System: Repair/Replace	\$0	\$0	\$0	\$0	\$0
Kitchen: Refurbish	\$0	\$0	\$0	\$0	\$0
Landscaping: Refurbish	\$0	\$0	\$0	\$18,727	\$0
Lights Interior, Hallways: Replace	\$0	\$0	\$0	\$0	\$0
Lights Interior: Stairwells, Replace	\$0	\$0	\$0	\$0	\$0
Lights, Garage, Interior: Replace	\$0	\$0	\$0	\$0	\$0
Lights: Exterior, Replace	\$0	\$5,039	\$0	\$0	\$0
Mailbox Cluster: Replace	\$0	\$0	\$0	\$0	\$0
Plumbing System	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building A	\$336,521	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building B	\$336,521	\$0	\$0	\$0	\$0
Roof: Replace, North Bldg B	\$0	\$2,295	\$0	\$0	\$0
Roof: Replace, West Bldg A	\$0	\$1,468	\$0	\$0	\$0
Siding & Trim: Repair/Replace	\$0	\$0	\$0	\$0	\$0
Siding: Repaint	\$0	\$0	\$0	\$0	\$0
Sliding Glass Doors: Replace	\$0	\$0	\$0	\$0	\$0
Smoke Detectors	\$0	\$0	\$0	\$0	\$0
Surveillance System: Replace	\$0	\$13,800	\$0	\$0	\$0
Walls: Interior, Repainting	\$0	\$0	\$0	\$0	\$0
Water Heater: Replace	\$0	\$0	\$0	\$0	\$0
Windows: Replace	\$0	\$0	\$0	\$0	\$0

Full Funding Plan					
Year	2045	2046	2047	2048	2049
Percent Funded	70.08 %	79.68 %	83.71 %	93.48 %	92.99 %
Fully Funded Balance	\$2,367,278	\$2,247,143	\$2,353,540	\$2,508,251	\$2,862,429
Beginning Balance	\$1,754,240	\$1,658,918	\$1,790,548	\$1,970,044	\$2,344,752
Annual Contributions	\$333,249	\$343,247	\$353,544	\$364,150	\$375,075
Interest Earnings	\$14,775	\$16,029	\$17,755	\$21,413	\$24,497
Special Assessment	\$0	\$0	\$0	\$0	\$0
Reserve Expenses	\$443,346	\$227,646	\$191,803	\$10,855	\$82,552
Ending Balance	\$1,658,918	\$1,790,548	\$1,970,044	\$2,344,752	\$2,661,772

Expenses by Component & Year					
Components	2045	2046	2047	2048	2049
Appliances: Replace	\$0	\$6,567	\$0	\$0	\$0
Awnings, Metal: Clean & Paint	\$0	\$0	\$0	\$0	\$44,721
Bathroom: Refurbish	\$0	\$10,232	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg A	\$0	\$0	\$84,309	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg B	\$0	\$0	\$84,309	\$0	\$0
Building Entry Doors: Replace	\$0	\$0	\$0	\$0	\$0
Concrete Wall, Alley: Repaint	\$0	\$0	\$0	\$0	\$0
Deck Railings, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Deck, Wood: Replace	\$0	\$0	\$0	\$0	\$0
Deck: Elastomeric, Reseal	\$0	\$115,152	\$0	\$0	\$0
Elevator Cab: Refurbish	\$0	\$0	\$0	\$0	\$0
Elevator: Modernization	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 1	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 2	\$0	\$0	\$0	\$0	\$0
Entry System: Replace	\$0	\$0	\$23,185	\$0	\$0
Fire Alarm Panel: Replacement	\$0	\$6,567	\$0	\$0	\$0
Fire Suppression System: Compressor Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Control Panel Replacement	\$0	\$0	\$0	\$0	\$7,847
Fire Suppression System: Wet/Dry System Repair	\$0	\$0	\$0	\$0	\$0
Fitness Equipment: Replace	\$0	\$0	\$0	\$0	\$0
Flooring, Lobby: Restain	\$0	\$0	\$0	\$0	\$0
Flooring: Carpet, Replace	\$98,433	\$0	\$0	\$0	\$0
Garage Door Operator: Replace, East	\$0	\$0	\$0	\$0	\$0
Garage Door Operators: Replace, Remainder	\$0	\$73,854	\$0	\$0	\$0
Garage Door, East, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Doors, West, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Exhaust System: Repair	\$0	\$0	\$0	\$10,855	\$0
Guardrail, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Guardrail: Metal, Replace	\$0	\$0	\$0	\$0	\$0
Gutters & Downspouts: Replacement	\$0	\$10,753	\$0	\$0	\$0

Irrigation System: Repair/Replace	\$0	\$0	\$0	\$0	\$7,623
Kitchen: Refurbish	\$0	\$0	\$0	\$0	\$0
Landscaping: Refurbish	\$0	\$0	\$0	\$0	\$22,361
Lights Interior, Hallways: Replace	\$0	\$0	\$0	\$0	\$0
Lights Interior: Stairwells, Replace	\$0	\$0	\$0	\$0	\$0
Lights, Garage, Interior: Replace	\$0	\$0	\$0	\$0	\$0
Lights: Exterior, Replace	\$0	\$0	\$0	\$0	\$0
Mailbox Cluster: Replace	\$0	\$0	\$0	\$0	\$0
Plumbing System	\$16,923	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building A	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, North Bldg B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, West Bldg A	\$0	\$0	\$0	\$0	\$0
Siding & Trim: Repair/Replace	\$58,879	\$0	\$0	\$0	\$0
Siding: Repaint	\$269,111	\$0	\$0	\$0	\$0
Sliding Glass Doors: Replace	\$0	\$0	\$0	\$0	\$0
Smoke Detectors	\$0	\$0	\$0	\$0	\$0
Surveillance System: Replace	\$0	\$0	\$0	\$0	\$0
Walls: Interior, Repainting	\$0	\$0	\$0	\$0	\$0
Water Heater: Replace	\$0	\$4,521	\$0	\$0	\$0
Windows: Replace	\$0	\$0	\$0	\$0	\$0

Full Funding Plan					
Year	2050	2051	2052	2053	2054
Percent Funded	92.79	85.82	97.07	88.38	100.01
Fully Funded Balance	\$3,162,088	\$3,419,288	\$3,401,585	\$3,754,831	\$3,754,420
Beginning Balance	\$2,661,772	\$2,934,031	\$2,934,475	\$3,301,863	\$3,318,496
Annual Contributions	\$386,327	\$397,917	\$409,854	\$422,150	\$434,815
Interest Earnings	\$27,137	\$27,084	\$30,663	\$30,767	\$35,024
Special Assessment	\$0	\$0	\$0	\$0	\$0
Reserve Expenses	\$141,205	\$424,557	\$73,129	\$436,284	\$33,463
Ending Balance	\$2,934,031	\$2,934,475	\$3,301,863	\$3,318,496	\$3,754,872

Expenses by Component & Year					
Components	2050	2051	2052	2053	2054
Appliances: Replace	\$0	\$0	\$0	\$0	\$0
Awnings, Metal: Clean & Paint	\$0	\$0	\$0	\$0	\$0
Bathroom: Refurbish	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg A	\$0	\$0	\$0	\$0	\$0
Brick Facade: Clean, Repair & Seal, Bldg B	\$0	\$0	\$0	\$0	\$0
Building Entry Doors: Replace	\$0	\$0	\$0	\$0	\$0
Concrete Wall, Alley: Repaint	\$0	\$0	\$0	\$0	\$33,463
Deck Railings, Metal: Repaint	\$0	\$0	\$0	\$0	\$0
Deck, Wood: Replace	\$0	\$0	\$0	\$0	\$0
Deck: Elastomeric, Reseal	\$0	\$0	\$0	\$0	\$0
Elevator Cab: Refurbish	\$0	\$0	\$0	\$0	\$0
Elevator: Modernization	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 1	\$0	\$0	\$0	\$0	\$0
Emergency & Exit Lighting: Replace, Phase 2	\$123,324	\$0	\$0	\$0	\$0
Entry System: Replace	\$0	\$0	\$0	\$0	\$0
Fire Alarm Panel: Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Compressor Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Control Panel Replacement	\$0	\$0	\$0	\$0	\$0
Fire Suppression System: Wet/Dry System Repair	\$0	\$0	\$19,152	\$0	\$0
Fitness Equipment: Replace	\$0	\$15,700	\$0	\$0	\$0
Flooring, Lobby: Restain	\$0	\$0	\$0	\$0	\$0
Flooring: Carpet, Replace	\$0	\$0	\$0	\$0	\$0
Garage Door Operator: Replace, East	\$0	\$21,393	\$0	\$0	\$0
Garage Door Operators: Replace, Remainder	\$0	\$0	\$0	\$0	\$0
Garage Door, East, Commercial: Replace	\$0	\$0	\$0	\$20,797	\$0
Garage Doors, West, Commercial: Replace	\$0	\$0	\$0	\$0	\$0
Garage Exhaust System: Repair	\$0	\$0	\$0	\$0	\$0
Guardrail, Metal: Repaint	\$0	\$26,526	\$0	\$0	\$0
Guardrail: Metal, Replace	\$0	\$0	\$0	\$0	\$0
Gutters & Downspouts: Replacement	\$0	\$0	\$0	\$0	\$0

Irrigation System: Repair/Replace	\$0	\$0	\$0	\$0	\$0
Kitchen: Refurbish	\$0	\$0	\$0	\$0	\$0
Landscaping: Refurbish	\$0	\$0	\$0	\$0	\$0
Lights Interior, Hallways: Replace	\$0	\$0	\$0	\$0	\$0
Lights Interior: Stairwells, Replace	\$0	\$16,067	\$0	\$0	\$0
Lights, Garage, Interior: Replace	\$0	\$0	\$53,977	\$0	\$0
Lights: Exterior, Replace	\$0	\$0	\$0	\$0	\$0
Mailbox Cluster: Replace	\$0	\$0	\$0	\$0	\$0
Plumbing System	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building A	\$0	\$0	\$0	\$0	\$0
Roof: Low Slope, Replace, Building B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, North Bldg B	\$0	\$0	\$0	\$0	\$0
Roof: Replace, West Bldg A	\$0	\$1,973	\$0	\$0	\$0
Siding & Trim: Repair/Replace	\$0	\$0	\$0	\$74,586	\$0
Siding: Repaint	\$0	\$0	\$0	\$340,901	\$0
Sliding Glass Doors: Replace	\$0	\$0	\$0	\$0	\$0
Smoke Detectors	\$17,881	\$0	\$0	\$0	\$0
Surveillance System: Replace	\$0	\$0	\$0	\$0	\$0
Walls: Interior, Repainting	\$0	\$342,898	\$0	\$0	\$0
Water Heater: Replace	\$0	\$0	\$0	\$0	\$0
Windows: Replace	\$0	\$0	\$0	\$0	\$0

3. Physical Analysis

We completed a site visit as part of this reserve study on . Table 2 below shows all the components considered for funding and explains the basis of the funding decision.

3.1 Table 2: Component Funding Basis

Component	Condition	Funding Basis
Appliances: Replace	Assorted Condition	Funded based on the typical life expectancy
Awnings, Metal: Clean & Paint	Fair	Funded based on Association direction
Bathroom: Refurbish	Fair	Funded based on the typical life expectancy
Brick Facade: Clean, Repair & Seal, Bldg A	Fair	Funded based on Association direction
Brick Facade: Clean, Repair & Seal, Bldg B	Fair	Funded based on Association direction
Building Entry Doors: Replace	Newer	Funded based on the typical life expectancy
Concrete Wall, Alley: Repaint	Good	Funded based on Association records
Courtyards: Resurface		Unfunded, no predictable expectation of expense
Deck Railings, Metal: Repaint		Funded based on Association direction
Deck, Wood: Replace	Excellent	Funded based on Association direction
Deck: Elastomeric, Reseal	Excellent	Funded based on Association direction
Electrical	Unknown	Unfunded due to unpredictable nature of component
Elevator Cab: Refurbish	Good	Funded based on the typical life expectancy
Elevator: Modernization	Functional	Funded based on the typical life expectancy
Emergency & Exit Lighting: Replace, Phase 1	Excellent	Funded based on Association records
Emergency & Exit Lighting: Replace, Phase 2	Functional	Funded based on Association records
Entry System: Replace	Good	Funded based on the typical life expectancy
Fire Alarm Panel: Replacement	Functional	Funded based on the typical life expectancy
Fire Suppression System: Compressor Replacement	Functional	Funded based on the typical life expectancy
Fire Suppression System: Control Panel Replacement	Unknown	Funded based on the typical life expectancy
Fire Suppression System: Refurbish	Functional	Unfunded, outside the 30 year scope of report
Fire Suppression System: Wet/Dry System Repair	Functional	Funded based on prior reserve study
Fitness Equipment: Replace	Assorted Condition	Funded based on the typical life expectancy
Flooring, Lobby: Restain	Functional	Funded for further evaluation/investigation/inspection
Flooring: Carpet, Replace	Assorted Condition	Funded based on the typical life expectancy
Garage Door Operator: Replace, East		Funded based on Association records
Garage Door Operators: Replace, Remainder	Assorted Condition	Funded based on Association records
Garage Door, East, Commercial: Replace	Fair	Funded based on the typical life expectancy
Garage Doors, West, Commercial: Replace	Excellent	Funded based on the typical life expectancy
Garage Exhaust System: Repair	Functional	Funded based on the typical life expectancy
Guardrail, Metal: Repaint	Good	Funded based on the typical life expectancy
Guardrail: Metal, Replace	Excellent	Funded based on Association records
Gutters & Downspouts: Replacement	Excellent	Funded based on the typical life expectancy
Irrigation System: Repair/Replace	Assorted Condition	Funded based on prior reserve study
Kitchen: Refurbish	Fair	Funded based on the typical life expectancy
Landscaping: Refurbish	Assorted Condition	Funded based on prior reserve study
Lights Interior, Hallways: Replace	Excellent	Funded based on the typical life expectancy
Lights Interior: Stairwells, Replace	Functional	Funded based on the typical life expectancy

Lights, Garage, Interior: Replace	Fair	Funded based on the typical life expectancy
Lights: Exterior, Replace	Excellent	Funded based on the typical life expectancy
Mailbox Cluster: Replace	Good	Funded based on Association records
Plumbing System	Unknown	Funded based on prior reserve study
Roof: Low Slope, Replace, Building A	Excellent	Funded based on the typical life expectancy
Roof: Low Slope, Replace, Building B	Excellent	Funded based on Association direction
Roof: Replace, North Bldg B	Excellent	Funded based on Association direction
Roof: Replace, West Bldg A	Good	Funded based on Association direction
Siding & Trim: Repair/Replace	Excellent	Funded based on the typical life expectancy
Siding: Repaint	Excellent	Funded based on the typical life expectancy
Signs: Replace	Good	Unfunded, operating expense
Sliding Glass Doors: Replace	Excellent	Funded based on the typical life expectancy
Smoke Detectors	Functional	Funded based on the typical life expectancy
Suite Entry Doors Hardware: Replace	Good	Unfunded, outside the 30 year scope of report
Surveillance System: Replace	Unknown	Funded based on the typical life expectancy
Utility Doors: Replace		Unfunded due to unpredictable nature of component
Walls: Interior, Repainting	Assorted Condition	Funded based on Association direction
Water Heater: Replace	Unknown	Funded based on the typical life expectancy
Windows, Ground Floor: Replace	Functional	Unfunded, no predictable expectation of expense
Windows: Replace	Good	Funded based on the typical life expectancy

3.2 Table 3: Component Metrics

Component	FFB	% FFB	Annual Cost	% Annual Cost
Appliances: Replace	\$3,354	0.30%	\$177	0.12%
Awnings, Metal: Clean & Paint	\$22,000	1.96%	\$1,833	1.28%
Bathroom: Refurbish	\$5,225	0.47%	\$275	0.19%
Brick Facade: Clean, Repair & Seal, Bldg A	\$35,200	3.14%	\$4,400	3.08%
Brick Facade: Clean, Repair & Seal, Bldg B	\$35,200	3.14%	\$4,400	3.08%
Building Entry Doors: Replace	\$3,786	0.34%	\$291	0.20%
Concrete Wall, Alley: Repaint	\$1,420	0.13%	\$1,420	0.99%
Deck Railings, Metal: Repaint	\$78,700	7.02%	\$2,539	1.78%
Deck, Wood: Replace	\$21,600	1.93%	\$10,800	7.57%
Deck: Elastomeric, Reseal	\$55,710	4.97%	\$6,190	4.34%
Elevator Cab: Refurbish	\$25,300	2.26%	\$1,100	0.77%
Elevator: Modernization	\$143,367	12.79%	\$6,233	4.37%
Emergency & Exit Lighting: Replace, Phase 1	\$578	0.05%	\$193	0.13%
Emergency & Exit Lighting: Replace, Phase 2	\$44,175	3.94%	\$2,945	2.06%
Entry System: Replace	\$6,453	0.58%	\$807	0.57%
Fire Alarm Panel: Replacement	\$3,354	0.30%	\$177	0.12%
Fire Suppression System: Compressor Replacement	\$1,270	0.11%	\$67	0.05%
Fire Suppression System: Control Panel Replacement	\$3,860	0.34%	\$161	0.11%
Fire Suppression System: Wet/Dry System Repair	\$8,622	0.77%	\$958	0.67%
Fitness Equipment: Replace	\$7,280	0.65%	\$560	0.39%
Flooring, Lobby: Restain	\$22,000	1.96%		
Flooring: Carpet, Replace	\$54,500	4.86%	\$5,450	3.82%
Garage Door Operator: Replace, East	\$1,417	0.13%	\$709	0.50%
Garage Door Operators: Replace, Remainder	\$19,850	1.77%	\$2,836	1.99%
Garage Door, East, Commercial: Replace	\$7,114	0.63%	\$395	0.28%
Garage Doors, West, Commercial: Replace	\$35,280	3.15%	\$5,040	3.53%
Garage Exhaust System: Repair	\$3,929	0.35%	\$786	0.55%
Guardrail, Metal: Repaint	\$9,225	0.82%	\$1,538	1.08%
Guardrail: Metal, Replace	\$1,358	0.12%	\$453	0.32%
Gutters & Downspouts: Replacement	\$925	0.08%	\$231	0.16%
Irrigation System: Repair/Replace	\$3,750	0.33%	\$313	0.22%
Kitchen: Refurbish	\$5,282	0.47%	\$278	0.19%
Landscaping: Refurbish	\$11,000	0.98%	\$1,833	1.28%
Lights Interior, Hallways: Replace	\$7,170	0.64%	\$1,195	0.84%
Lights Interior: Stairwells, Replace	\$7,450	0.66%	\$287	0.20%
Lights, Garage, Interior: Replace	\$22,356	1.99%	\$972	0.68%
Lights: Exterior, Replace	\$628	0.06%	\$157	0.11%
Mailbox Cluster: Replace	\$2,048	0.18%	\$683	0.48%
Plumbing System	\$9,370	0.84%	\$937	0.66%
Roof: Low Slope, Replace, Building A	\$54,000	4.82%	\$10,800	7.57%
Roof: Low Slope, Replace, Building B	\$54,000	4.82%	\$10,800	7.57%
Roof: Replace, North Bldg B	\$286	0.03%	\$72	0.05%

Roof: Replace, West Bldg A	\$366	0.03%	\$92	0.06%
Siding & Trim: Repair/Replace	\$0	0.00%	\$4,075	2.86%
Siding: Repaint	\$74,500	6.65%	\$18,625	13.05%
Sliding Glass Doors: Replace	\$8,160	0.73%	\$2,040	1.43%
Smoke Detectors	\$6,405	0.57%	\$427	0.30%
Surveillance System: Replace	\$8,600	0.77%	\$538	0.38%
Walls: Interior, Repainting	\$132,500	11.82%	\$13,250	9.28%
Water Heater: Replace	\$2,187	0.20%	\$243	0.17%
Windows: Replace	\$48,560	4.33%	\$12,140	8.51%
Current Fully Funded Balance		\$1,120,667	\$142,715 Per Year	
Current Reserve Fund Deficit/Surplus		(\$906,833)	\$11,893 Per Month	

This table shows metric information regarding the influence each component has on the fully funded balance and contribution requirements.

3.3 Component Details

Recreation - Appliances: Replace

Quantity: 1 Allowance	UL: 20
Condition: Assorted Condition	RUL: 1
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$3,530.00

Building Exterior - Awnings, Metal: Clean & Paint

Quantity: 1 Allowance	UL: 12
Condition: Fair	RUL: 0
Funding Basis: Funded based on Association direction	Current Cost: \$22,000.00

Building Interior - Bathroom: Refurbish

Quantity: 1 Allowance	UL: 20
Condition: Fair	RUL: 1
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$5,500.00

Building Exterior - Brick Facade: Clean, Repair & Seal, Bldg A

Quantity: 1 Allowance	UL: 10
Condition: Fair	RUL: 2
Funding Basis: Funded based on Association direction	Current Cost: \$44,000.00

Building Exterior - Brick Facade: Clean, Repair & Seal, Bldg B

Quantity: 1 Allowance	UL: 10
Condition: Fair	RUL: 2
Funding Basis: Funded based on Association direction	Current Cost: \$44,000.00

Building Exterior - Building Entry Doors: Replace

Quantity: 3 Each	UL: 25
Condition: Newer	RUL: 12
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$7,280.00

Building Exterior - Concrete Wall, Alley: Repaint

Quantity: 1 Allowance	UL: 10
Condition: Good	RUL: 9
Funding Basis: Funded based on Association records	Current Cost: \$14,200.00

Building Exterior - Courtyards: Resurface

Quantity: 1 Allowance

Funding Basis: Unfunded, no predictable
expectation of expense

Building Exterior - Deck Railings, Metal: Repaint

Quantity: 55 Units

UL: 31

RUL: 0

Funding Basis: Funded based on
Association direction

Current Cost: \$78,700.00

Building Exterior - Deck, Wood: Replace

Quantity: 2200 Square Feet

UL: 20

Condition: Excellent

RUL: 18

Funding Basis: Funded based on
Association direction

Current Cost: \$216,000.00

Building Exterior - Deck: Elastomeric, Reseal

Quantity: 3400 Square Feet

UL: 10

Condition: Excellent

RUL: 1

Funding Basis: Funded based on
Association direction

Current Cost: \$61,900.00

Mechanical & Equipment - Electrical

Condition: Unknown

Funding Basis: Unfunded due to
unpredictable nature of
component

Mechanical & Equipment - Elevator Cab: Refurbish

Quantity: 2 Allowance

UL: 30

Condition: Good

RUL: 7

Funding Basis: Funded based on the
typical life expectancy

Current Cost: \$33,000.00

Mechanical & Equipment - Elevator: Modernization

Quantity: 2 Unit

UL: 30

Condition: Functional

RUL: 7

Funding Basis: Funded based on the
typical life expectancy

Current Cost: \$187,000.00

Mechanical & Equipment - Emergency & Exit Lighting: Replace, Phase 1

Quantity: 14 Each

UL: 20

Condition: Excellent

RUL: 17

Funding Basis: Funded based on
Association records

Current Cost: \$3,850.00

Mechanical & Equipment - Emergency & Exit Lighting: Replace, Phase 2

Quantity: 214 Each

UL: 20

Condition: Functional	RUL: 5
Funding Basis: Funded based on Association records	Current Cost: \$58,900.00

Mechanical & Equipment - Entry System: Replace

Quantity: 2 Unit	UL: 15
Condition: Good	RUL: 7
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$12,100.00

Mechanical & Equipment - Fire Alarm Panel: Replacement

Quantity: 1 Each	UL: 20
Condition: Functional	RUL: 1
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$3,530.00

Mechanical & Equipment - Fire Suppression System: Compressor Replacement

Quantity: 1 Allowance	UL: 19
Condition: Functional	RUL: 0
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$1,270.00

Mechanical & Equipment - Fire Suppression System: Control Panel Replacement

Quantity: 1 Allowance	UL: 24
Condition: Unknown	RUL: 0
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$3,860.00

Mechanical & Equipment - Fire Suppression System: Refurbish

Condition: Functional
Funding Basis: Unfunded, outside the 30 year scope of report

Mechanical & Equipment - Fire Suppression System: Wet/Dry System Repair

Quantity: 1 Allowance	UL: 9
Condition: Functional	RUL: 0
Funding Basis: Funded based on prior reserve study	Current Cost: \$8,622.00

Recreation - Fitness Equipment: Replace

Quantity: 1 Allowance	UL: 13
Condition: Assorted Condition	RUL: 0
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$7,280.00

Building Interior - Flooring, Lobby: Restain

Quantity: 2 Units

Condition: Functional	RUL: 0
Funding Basis: Funded for further evaluation/investigation/inpection	Current Cost: \$22,000.00

Building Interior - Flooring: Carpet, Replace

Quantity: 1900 Square Yard	UL: 10
Condition: Assorted Condition	RUL: 0
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$54,500.00

Mechanical & Equipment - Garage Door Operator: Replace, East

Quantity: 1 Each	UL: 14
	RUL: 12
Funding Basis: Funded based on Association records	Current Cost: \$9,920.00

Mechanical & Equipment - Garage Door Operators: Replace, Remainder

Quantity: 4 Each	UL: 14
Condition: Assorted Condition	RUL: 7
Funding Basis: Funded based on Association records	Current Cost: \$39,700.00

Mechanical & Equipment - Garage Door, East, Commercial: Replace

Quantity: 1 Each	UL: 23
Condition: Fair	RUL: 5
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$9,090.00

Mechanical & Equipment - Garage Doors, West, Commercial: Replace

Quantity: 4 Each	UL: 25
Condition: Excellent	RUL: 18
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$126,000.00

Mechanical & Equipment - Garage Exhaust System: Repair

Quantity: 1 Allowance	UL: 7
Condition: Functional	RUL: 2
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$5,500.00

Building Exterior - Guardrail, Metal: Repaint

Quantity: 1395 Linear Feet	UL: 8
Condition: Good	RUL: 2
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$12,300.00

Building Exterior - Guardrail: Metal, Replace

Quantity: 1 Allowance	UL: 40
Condition: Excellent	RUL: 37
Funding Basis: Funded based on Association records	Current Cost: \$18,100.00

Building Exterior - Gutters & Downspouts: Replacement

Quantity: 525 Linear Feet	UL: 25
Condition: Excellent	RUL: 21
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$5,780.00

Site/Grounds - Irrigation System: Repair/Replace

Quantity: 1 Allowance	UL: 12
Condition: Assorted Condition	RUL: 0
Funding Basis: Funded based on prior reserve study	Current Cost: \$3,750.00

Recreation - Kitchen: Refurbish

Quantity: 1 Allowance	UL: 25
Condition: Fair	RUL: 6
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$6,950.00

Site/Grounds - Landscaping: Refurbish

Quantity: 1 Allowance	UL: 6
Condition: Assorted Condition	RUL: 0
Funding Basis: Funded based on prior reserve study	Current Cost: \$11,000.00

Building Interior - Lights Interior, Hallways: Replace

Quantity: 173 Items	UL: 20
Condition: Excellent	RUL: 14
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$23,900.00

Building Interior - Lights Interior: Stairwells, Replace

Quantity: 54 Items	UL: 26
Condition: Functional	RUL: 0
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$7,450.00

Building Interior - Lights, Garage, Interior: Replace

Quantity: 1 Allowance	UL: 25
Condition: Fair	RUL: 2
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$24,300.00

Mechanical & Equipment - Lights: Exterior, Replace

Quantity: 1 Allowance	UL: 20
Condition: Excellent	RUL: 16
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$3,140.00

Building Exterior - Mailbox Cluster: Replace

Quantity: 7 Clusters	UL: 40
Condition: Good	RUL: 37
Funding Basis: Funded based on Association records	Current Cost: \$27,300.00

Mechanical & Equipment - Plumbing System

Quantity: 1 Allowance	UL: 10
Condition: Unknown	RUL: 0
Funding Basis: Funded based on prior reserve study	Current Cost: \$9,370.00

Building Exterior - Roof: Low Slope, Replace, Building A

Quantity: 11150 Square Feet	UL: 20
Condition: Excellent	RUL: 15
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$216,000.00

Building Exterior - Roof: Low Slope, Replace, Building B

Quantity: 11150 Square Feet	UL: 20
Condition: Excellent	RUL: 15
Funding Basis: Funded based on Association direction	Current Cost: \$216,000.00

Building Exterior - Roof: Replace, North Bldg B

Quantity: 1 Allowance	UL: 20
Condition: Excellent	RUL: 16
Funding Basis: Funded based on Association direction	Current Cost: \$1,430.00

Building Exterior - Roof: Replace, West Bldg A

Quantity: 1 Allowance	UL: 10
Condition: Good	RUL: 6
Funding Basis: Funded based on Association direction	Current Cost: \$915.00

Building Exterior - Siding & Trim: Repair/Replace

Quantity: 1600 Square Feet	UL: 8
Condition: Excellent	RUL: 12
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$32,600.00

Building Exterior - Siding: Repaint

Quantity: 54000 Square Feet	UL: 8
Condition: Excellent	RUL: 4
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$149,000.00

Building Exterior - Signs: Replace

Condition: Good

Funding Basis: Unfunded, operating
expense

Building Exterior - Sliding Glass Doors: Replace

Quantity: 35 Each	UL: 50
Condition: Excellent	RUL: 46
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$102,000.00

Mechanical & Equipment - Smoke Detectors

Quantity: 70 Each	UL: 20
Condition: Functional	RUL: 5
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$8,540.00

Building Interior - Suite Entry Doors Hardware: Replace

Condition: Good

Funding Basis: Unfunded, outside the 30
year scope of report

Mechanical & Equipment - Surveillance System: Replace

Quantity: 1 Allowance	UL: 16
Condition: Unknown	RUL: 0
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$8,600.00

Building Interior - Utility Doors: Replace

Funding Basis: Unfunded due to
unpredictable nature of
component

Building Interior - Walls: Interior, Repainting

Quantity: 1 Allowance	UL: 12
Condition: Assorted Condition	RUL: 2
Funding Basis: Funded based on Association direction	Current Cost: \$159,000.00

Mechanical & Equipment - Water Heater: Replace

Quantity: 1 Unit	UL: 10
Condition: Unknown	RUL: 1
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$2,430.00

Building Exterior - Windows, Ground Floor: Replace

Quantity: 32 Each
Condition: Functional
Funding Basis: Unfunded, no predictable
expectation of expense

Building Exterior - Windows: Replace

Quantity: 478 Each	UL: 50
Condition: Good	RUL: 46
Funding Basis: Funded based on the typical life expectancy	Current Cost: \$607,000.00

4. How to Read Your Reserve Study

This reserve study is an important planning tool that contains long-term common area replacement and financial recommendations for your Association. In order to accomplish this, we provide you with critical information that should be considered when evaluating the current health of your reserve fund, future maintenance, repair and replacement expenses and reserve contribution rates to include within the regular unit owner assessments. With the use of this reserve study your Association will be better prepared for present and future expenses.

We have worked to identify your common area assets, called **components**, which have maintenance or replacement expenses that can be anticipated. Our recommendations should help to minimize deferred maintenance and special assessments, as well as maximize your property value.

Having properly funded reserves enables the Association to keep the common area assets in good condition. When potential buyers consider which association to purchase a home in, the overall condition of the association and reserve fund may be considered. Having good financials, maintenance, and curb appeal, all work together to increase your property value.

We know that your needs are different from the needs of others. Therefore, we have created this report specifically for your Association. When possible, we have had discussions with the Association Board of Directors, vendors and professional management to provide recommendations that will help you meet your Association's goals and objectives.

4.1 About Reserve Studies

By definition a reserve study is a budget planning tool. It identifies the current status of the reserve fund with a stable and equitable funding plan, to offset the anticipated future major common area expenditures. Plainly, a reserve study is a long term plan that indicates how much money needs to be set aside to pay for future expenses. The reserve study consists of two parts: the physical analysis and financial analysis.

The **physical analysis** identifies which components are appropriate for reserve funding and the current physical condition assessment of each asset; then indicates the life expectancy or useful life of the component as well as the life remaining or remaining useful life of each component. The physical analysis is concluded with the current cost to replace each component. The physical analysis information is used within the financial analysis. Therefore, it generally contains many recommendations and justifications regarding component repair, maintenance and replacement recommendations as well as cost and life cycles.

The **financial analysis** includes two results. First, it reveals the health of the reserve fund. This is completed by determining the current status of the reserve fund known as percent funded. The second result is the reserve contribution recommendation. Using the information contained within the physical analysis, the future expected expenses are analyzed and reviewed. Then multi-year funding plans are developed to meet various funding goals. The reserve contributions required to meet the funding goal desired is then presented and recommended to the Association.

4.2 Reserve Study Levels

- **Level I:** Full Reserve Study Funding Analysis and Plan. This is the most labor intensive reserve study, as it includes both a physical and financial analysis. The component inventory list and current component condition assessments with life and valuation estimates are determined from an on-site visual inspection. This information is used to conduct the financial analysis, which includes the current fund status and a recommended funding plan. A "Full Reserve Study" is recommended when a previous reserve study is not available, a substantial time has elapsed since the last study (7-10

years), or there are concerns with an existing reserve study's component inventory or measurements.

- **Level II:** Update with Visual Site Inspection. This report updates both the physical analysis and financial analysis of an existing report. An on-site visual inspection is conducted to verify and/or make adjustments to the existing component list, condition assessments, useful life and component valuation estimates. The financial analysis is also updated, including the current fund status and recommended funding plan. A level II report is recommended at least every three years, before and after major projects and as required by state law.
- **Level III:** Update with No Visual Site Inspection. This report updates the financial analysis of an existing reserve study only. No on-site visual inspection is completed. An existing fund status and funding plan is updated using research conducted with board members, vendors, association managers and information contained within a prior reserve study. A level III report is recommended to review, adjust and verify that the existing funding plan is accurate and suitable for current economic conditions. A level III report is recommended at least annually.

4.3 Percent Funded

Percent funded is a way to measure the strength of the reserve fund. The Community Associations Institute (CAI) defines "Percent Funded" as "the ratio, at a particular point of time, of the actual (or projected) Reserve Balance to the Fully Funded Balance, expressed as a percentage." The **fully funded balance** is the total accrued depreciation or deterioration of the component(s). This balance is the cost of how much life has been used up. The fully funded balance is then used as an indicator against which the actual (or projected) reserve fund balance can be compared; known as percent funded.

For example, if an association were to replace interior carpeting in 10 years at an expense of \$10,000; then each year the cost of deterioration is 1/10th of the replacement cost. Therefore, each year \$1,000 of cost is accrued. In year 2, the fully funded balance would be \$2,000. In year 5, the cost of existing deterioration is \$5,000, and so on. To determine the percent funded, the FFB is compared to the reserve fund balance. To continue the above example, the association has \$2,000 in their reserve fund in year 2. The total accrued deterioration or FFB is \$2,000, therefore they are 100% funded. The association has saved 100% of the accrued deterioration or fully funded balance. If they have set aside only \$1,000, the association is 50% funded, having saved 50% of the existing deterioration or cost.

Using Percent Funded to Measure Strength

- **0-30% Funded is a "weak" status.** There is a lack of funds reserved toward the amount of accrued deterioration. Whenever an association has a weak status there is an increased possibility of requiring special assessments, loans or deferred maintenance.
- **31-69% Funded is a "fair" status.** There is a decreased chance of requiring special assessments or deferred maintenance, however, cash flow problems may very easily arise.
- **70-100% Funded is a "strong" status.** Associations in this range generally have financial stability. There are generally no cash flow issues, special assessments or deferred maintenance necessary.
- **100% Funded is known as "ideal."** The reserve fund balance equals the fully funded balance. This is "ideal" because funds are reserved as components are used. It is thought to be the most fair for members because they pay as they go, or they pay their share.

Use Caution When Using Percent Funded

Percent funded is a ratio and therefore does not convey the urgency that is often times required. There are two aspects that need to be considered when evaluating the urgency of the current situation, the time remaining before an expense is scheduled to occur, as well as the cost of the expense.

The first aspect that percent funded does not consider is the time remaining before the expense is to occur. Use the same carpet replacement example (\$10,000 carpet expense to be saved over 10 years). If, in year 5 they have only saved \$2,500 they are 50% funded (remember the total accrued deterioration or FFB would be \$5,000). To have the capital required to complete the project as scheduled in year 10 for \$10,000, they would need to save \$1,500 each year for the next 5 years.

Changing the time frames, if in year 10 they have set aside \$5,000, they would still be 50% funded (having saved 50% of the total accrued deterioration of \$10,000). However, they now need to attain \$5,000 of the required \$10,000 expense immediately rather than over a period of time.

These examples show that the percent funded ratio lacks the urgency that each association may have in attaining the rest of the financing.

Percent funded also does not consider the cost of the expense. Using the same 10 year cycle, changing the cost of the required expense from \$10,000 to a \$30,000 paint project, in year 5 the association is 50% funded by having set aside \$15,000. In this case, they must save \$3,000 each year, not \$1,500. If in year 10, they are 50% funded, they would need to save \$15,000 not \$5,000. Notice how the percent funded is the same, but the amount needed to meet the financial obligation is very different.

Percent funded is a very useful ratio, however, it must be placed in context. Remember to evaluate not only the percent funded but also the cash balance and size of the upcoming expenditures as well.

4.4 Reserve Funding Plans & Goals

To determine the contribution rate to the reserve fund, the association needs to determine their reserve fund goal. This may be based on a number of objectives and analysis' corresponding to the reserve fund. There are three different funding goals associations may choose based on their risk tolerance:

- **Baseline Funding Goal** – This sets the reserve contribution amount as low as possible without the reserve fund dropping below a zero balance. This is the most risky method with the least contributed to the reserve fund. If an expense arrives early, or unexpected, there is a significant chance of needing a special assessment or loan.
- **Threshold Funding Goal** - The goal of Threshold Funding is to set the reserve contribution amount to meet a specified goal. Common goals to achieve and maintain are 70 Percent Funded, to maintain a cash-balance of 15% of the prior year's expenses, or to maintain a minimum cash-balance of the prior year's reserve contribution amount.
- **Full Funding Goal** – Sets the goal at being fully funded. This plan sets the reserve contribution amount to achieve a fully funded balance. Fully funded is achieved when the percent funded is 100%. It requires the largest contribution to the reserve fund of the three goals, but is also the least risky.

4.5 Reserve Contributions

There are three ways to contribute to your Reserve Account:

- **Regular Contributions:** If adequate regular contributions are not established the reserve fund will eventually be underfunded. An underfunded reserve account leads to deferred maintenance and potentially extensive repair. As already mentioned, the effects of deferred maintenance and extensive repair are significantly more than routine or preventative maintenance. Additionally, it is the most fair and equitable to the association members. If reserve contributions are not set properly, whether too high or low, the individuals who use the asset will not be paying for it. If the contributions are set too high, current owners are paying for what future owners should pay for.

Likewise, when contributions are set too low, future owners will pay for what current owners should have paid for. Having properly set reserve contributions is the most fair for everyone involved.

- **Special Assessments:** If the reserve fund is underfunded at the time an expense is required, the association is forced to hold a special assessment. Most often, this occurs when deferred maintenance catches up and the association is forced to deal with it. It is better to have a small monthly increase now rather than a very large and unexpected increase later.
- **Loans:** If the association members do not have the finances to contribute to a special assessment or the required repairs are too extensive and costly for a special assessment, a loan may be required. This not only requires a monthly increase in dues, but members are then paying for past as well as future expenses, rather than just future expenses. The future still needs to be anticipated and saved for.

4.6 Reserve Components

The components of a reserve study have significant impact on the accuracy of the report. If items are improperly included or excluded from the reserve study, then the projected expenses and subsequent required reserve contributions will likewise be affected. Before a component is included within the reserve study, it is evaluated and qualified using a nationally recognized four-part test:

- **Common Area:** The component must be association responsibility; limited common areas may be included.
- **Limited Useful Life:** The life of the component must be limited.
- **Predictable Life:** The limited life must be predictable.
- **Minimum Threshold Cost:** Generally greater than 1% of the annual operating budget or \$1,000 whichever is greater.

Repairs or replacements of components that are predicted to have an estimated remaining useful life exceeding this 30-year report period are generally not included. Items that are below the minimum threshold cost, or reoccur annually are generally included within the annual operating budget. Expenses that are necessitated by acts of nature, accidents or other occurrences that are more properly insured for, rather than reserved for, are also excluded.

Maintaining Components

There are three ways to manage capital reserve expenses:

- **Preventative Maintenance:** This is the most effective way to extend the useful life of components and save money in the long run, as it is a proactive maintaining of components. The cost of maintaining the condition and quality of a component is much less than repair or replacing the component to bring it back to a usable condition and may also prolong the life expectancy of an asset.
- **Deferred Maintenance:** This is deferring routine maintenance rather than completing maintenance as recommended. A common household example of this is deferring the oil changes in a vehicle. Deferred maintenance is likely the first indication of, and results in, having inadequate reserve funds. While in the short run the association is contributing less money, the effects of deferring maintenance and the costs associated with it are far greater than the cost of preventative maintenance.
- **Extensive Repair or Replacement:** This is when a component needs to have significant repair(s) completed or even replacement prior than anticipated. While not always, this is generally a result of deferred maintenance. The cost of significant repair or advanced replacement is not only expensive, it also decreases association morale through poor association management, poor curb appeal and out of commission assets.

4.7 Implementing Your Reserve Study

- **Step 1 - Understand:** The board of directors has the responsibility to lead the association, therefore, the first step is for the board to hold a meeting. This meeting should discuss the results of the reserve study in order for the Board to better understand the current position of the association and the upcoming reserve requirements of the association.
- **Step 2 - Plan:** The board should then create a plan to determine how best to manage the association's common area assets and financial position. Using this reserve study as a guide, the board should make the adjustments required to meet the needs of the association and its members. This includes setting the reserve contribution amount.
- **Step 3 - Communicate:** After the board has determined the best course of action, the plan needs to be communicated to the association members. This can be accomplished through the distribution of the results of this reserve study and/or through association meetings. This allows them to ask questions and understand the direction the association will be heading.
- **Step 4 - Update and Adjust:** Reserve studies are a one-year document, and need to be updated and adjusted annually. We recommend additional collaboration with specialized professionals to provide the expertise and adjustments to this reserve study. Additionally, we recommend the board review and make minor adjustments of this plan before and after reserve projects throughout the year.

5. Supplemental Report Information

5.1 Definitions

COMPONENT: The individual line items in the Reserve Study developed or updated in the Physical Analysis. These elements form the building blocks for the Reserve Study. Components are defined as being:

1. Association responsibility
2. Having a limited Useful Life expectancy
3. Predictable Remaining Useful Life expectancies
4. Above a minimum threshold cost
5. As required by law

DEFICIT/SURPLUS: The Reserve Balance less the Fully Funded Balance.

FULLY FUNDED BALANCE (FFB): Equivalent to Total Accrued Depreciation. This represents the deteriorated or used portion of the component. This is calculated for each component, then summed together for a total FFB.
$$\text{FFB} = \text{Current Cost} \times \text{Effective Age} / \text{Useful Life}$$

PERCENT FUNDED: The ratio at a particular point of time of the actual (or projected) Reserve Balance to the Fully Funded Balance, expressed as a percentage.

PROJECTED RESERVE BALANCE: The anticipated reserve balance on the first day of the fiscal year for which this report has been prepared. This is based upon information provided and not audited.

REMAINING USEFUL LIFE (RUL): The estimated time, in years, that a reserve component can be expected to continue to serve its intended function.

REPLACEMENT COST: The cost of replacing, repairing, or restoring a Reserve Component to its original functional condition. The Current Replacement Cost would be the cost to replace, repair, or restore the component during that particular year.

USEFUL LIFE (UL): The estimated time, in years, that a reserve component can be expected to serve its intended function if properly constructed in its present application or installation.

5.2 Table 4 - RCW Required Information & Location

RCW Required Information	Report Location
(a) A reserve component list, including any reserve component that would cost more than one percent of the annual budget of the association, not including the reserve account, for major maintenance, repair, or replacement. If one of these reserve components is not included in the reserve study, the study should provide commentary explaining the basis for its exclusion. The study must also include quantities and estimates for the useful life of each reserve component, remaining useful life of each reserve component, and current major maintenance, repair, or replacement cost for each reserve component;	Table 1 Table 4
(b) The date of the study and a statement that the study meets the requirements of this section;	Disclosure Page
(c) The level of reserve study performed;	Cover Page
(d) The association's reserve account balance;	Executive Summary
(e) The percentage of the fully funded balance that the reserve account is funded;	Executive Summary Financial Summary
(f) Special assessments already implemented or planned;	Executive Summary Financial Summary
(g) Interest and inflation assumptions;	Executive Summary Financial Summary
(h) Current reserve account contribution rate;	Executive Summary Financial Summary
(i) Recommended reserve account contribution rate; a contribution rate for a full funding plan to achieve one hundred percent fully funded reserves by the end of the thirty-year study period, a baseline funding plan to maintain the reserve balance above zero throughout the thirty-year study period without special assessments, and a contribution rate recommended by the reserve study professional;	Executive Summary Financial Summary
(j) Projected reserve account balance for thirty years and a funding plan to pay for projected costs from those reserves without reliance on future unplanned special assessments;	Spread Sheet of Reserve Expenses
(k) Whether the reserve study was prepared with the assistance of a reserve study professional.	Executive Summary
(3) A reserve study shall include the following disclosure: "This reserve study should be reviewed carefully. It may not include all common and limited common element components that will require major maintenance, repair, or replacement in future years, and may not include regular contributions to a reserve account for the cost of such maintenance, repair, or replacement. The failure to include a component in a reserve study, or to provide contributions to a reserve account for a component, may, under some circumstances, require you to pay on demand as a special assessment your share of common expenses for the cost of major maintenance, repair, or replacement of a reserve component."	Disclosure Page

5.3 Reserve Study Disclosure

This document is the sole opinion of CEDCORE, LLC and has been provided pursuant to an agreement containing restrictions on its use. No part of this document may be copied or distributed, in any form or by any means, nor disclosed to third parties without the expressed written permission of CEDCORE. The client shall have the right to reproduce and distribute copies of this report, or the information contained within, as may be required for compliance with all applicable regulations.

This reserve study and the parameters under which it has been completed are based upon information provided to us in part by representatives of the association, its contractors, assorted vendors, specialists and independent contractors. The site visit is a limited scope visual observation of the surface condition of identified and exposed components. Hidden systems including but not limited to mechanical, electrical, structural, plumbing, storm water, sewer, water supply, foundations, etc. are beyond the scope of a reserve study. No destructive testing was undertaken, nor does this study purport to address any latent and/or patent defects or life expectancies which are abnormally short due to either improper design and/or installation or due to subsequent improper maintenance. It is assumed that all components are to be reasonably maintained for the remainder of their life expectancy.

Various construction pricing and scheduling manuals may be used as well as costs and life expectancies obtained from numerous vendors, vendor catalogues, actual quotations or historical costs, and our own experience in the field of Reserve Study preparation.

It has been assumed, unless otherwise noted in this report, that all assets have been designed and constructed properly and that each estimated Useful Life will approximate that of the norm per industry standards and/or manufacturer's specifications. In some cases, estimates may have been used on assets, which have an indeterminable but potential liability to the association. The decision for the inclusion of these as well as all assets considered is left to the client.

We recommend that your Reserve Study be updated on an annual basis due to fluctuating interest rates, inflationary changes, and the unpredictable nature of the useful life and cost of many of the assets under consideration.

This Reserve Study is provided as an aid for planning purposes and not as an accounting tool. Since it deals with events yet to take place, there is no assurance that the results enumerated within it will, in fact, occur as described. Additionally, other unanticipated expenses may arise that are not included within this reserve study. This reserve study should be reviewed carefully. It may not include all common and limited common element components that will require major maintenance, repair, or replacement in future years, and may not include regular contributions to a reserve account for the cost of such maintenance, repair, or replacement. The failure to include a component in a reserve study, or to provide contributions to a reserve account for a component, may, under some circumstances, require the association to (1) defer major maintenance, repair, or replacement, (2) increase future reserve contributions, (3) borrow funds to pay for major maintenance, repair, or replacement, or (4) impose special assessments for the cost of major maintenance, repair, or replacement.

This Reserve Study was prepared by or under the direct supervision of a Reserve Study Professional following National Reserve Study Standards and complies with RCW 64.34.382 and 64.90.550. The Reserve Study Professional is independent from the Association, and has no other involvement with the Association which would result in actual or perceived conflicts of interest. This Reserve Study needs to be updated annually as well as when any new material information is obtained.



P.O. Box 1208
Spanaway, WA 98387
253-292-2125
www.cedcore.com